[TO BE PUBLISHED IN THE GAZETTE OF INDIA EXTRAORDINARY PART-II, SECTION-3, SUB-SECTION(i)]

GOVERNMENT OF INDIA MINISTRY OF MINES

New Delhi, 17th April 2003.

NOTIFICATION

G.S.R:338(E).-- In exercise of the powers conferred by section 18 of the Mines and Minerals (Development and Regulation) Act, 1957 (67 of 1957), the Central Government hereby makes the following rules further to amend the Mineral Conservation and Development Rules, 1988, namely:

- 1. (1) These rules may be called the Mineral Conservation and Development (Second Amendment) Rules, 2003
 - (2) They shall come into force on the date of their publication in the Official Gazette.
- 2. In the Schedule to the Mineral Conservation and Development Rules, 1988,
 - (a) in Form H-1, in Part-IV (General Geology & Mining),-
 - (1) in serial number 1, for item(b) and entries relating thereto, the following shall be substituted, namely:-
 - "(b) Morphology (Tick mark whichever is/are applicable)
 - (i) Stratiform, stratabound and tabular deposits of regular habit;
 - (ii)Stratiform, stratabound and tabular deposits of irregular habit;
 - (iii)Lenticular bodies of all dimensions including bodies occurring en echelon silicified linear zones of composite veins;
 - (iv)Lenses, veins and pockets; stock-works, irregular shaped, modest to small size bodies;
 - (v) Gemstone and raremetal pegmatites, reefs and veins;
 - (vi) Placers and residual mineral deposits of hill and valley wash and
 - (vii)Dimension stones.";
 - (2) for serial number 4 and entries relating thereto, the following serial number and entries shall be substituted, namely:-
- "4. Reserves and Resources estimation during the year.

Code	Quantity	Grade
(2)	(3)	(4)
111 121 and 122 211 221 and 222 331 332 333 334		
	(2) 111 121 and 122 211 221 and 222 331 332 333	(2) (3) 111 121 and 122 211 221 and 222 331 332 333

Note.- For the removal of doubts, the classification terms and codes mentioned in this Form shall have the same meaning as assigned to them in the Guidelines issued by Indian Bureau of Mines in this regard.";

- (b) in Form H-9, in PART-IV (General Geology & Mining), for serial numbers 1 and 2 and the entries relating thereto, the following shall be substituted, namely:-
- "1. Give a brief account of geological, feasibility and economic viability studies.
 - a. Tick mark as applicable from each (i), (ii) and (iii) below:
 - (i) Reconnaissance/Prospecting/General Exploration/Detailed Exploration.
 - (ii) Geological Study/Pre-feasibility Study Feasibility Study.
 - (iii)Intrinsically Economic/Potentially Economic/Economic.
 - b. Brief account of the studies indicated under 1(a) during the year.

2. Reserves and Resources estimation during the year.

Classification	Code	Quanti	Grade
		ty	
(1)	(2)	(3)	(4)
Total Mineral Resources (A + B)			
A Mineral Reserve			
(1) Proved Mineral Reserve			
(2)Probable Mineral Reserve	111		
. ,	121and 122		
B Remaining Resources			
(1)Feasibility Mineral Resource			
(2)Prefeasibility Mineral	211		
Resource	221and 222		
(3) Measured Mineral Resource			
(4)Indicated Mineral	331		
Resource			
(5)Inferred Mineral Resource	332		
(6)Reconnaissance Mineral	333		
Resource	334		

Note.- For the removal of doubts, the classification terms and codes mentioned in this Form shall have the same meaning as assigned to them in the Guidelines issued by Indian Bureau of Mines in this regard."

;

F.No.8/1/2001-M.VI

$\label{eq:continuous} \mbox{(S.P. Gupta)} \\ \mbox{Joint Secretary to the Government of India}$

Note: The principal rules were published in the Official Gazette, vide GSR No.1023(E) dated 24.10.1988 and subsequently amended by -

- 1. GSR No.227(E) dated 22.4.1991
- 2. GSR No.580(E) dated 4.8.1995
- 3. GSR No.55(E) dated 18.1.2000
- 4. GSR No.744(E) dated 25.9.2000
- 5. GSR No.22(E) dated 11.1.2002
- 6. GSR No. (E) dated .3.2003.

3

4. At the end of the Schedule to the said Rules, In "Guidelines for submission of Returns" the following shall be inserted at the end,-

"I. UNFC clarification of reserves :-

A. DEFINITION OF TERMS AND CODES ON RESERVES AND RESOURCES UNDER UNITED NATIONS FRAMEWORK CLASSIFICATION (UNFC) OF MINERAL RESOURCES

The UNFC consists of a three dimensional system with the following three axes: Geological Assessment, Feasibility Assessment and Economic viability. The process of geological assessment is generally conducted in stages of increasing details. The typical successive stages of geological investigation i.e. reconnaissance, prospecting, general exploration and detailed exploration, generate resource data with a clearly defined degrees of geological assurance. These four stages are therefore used as geological assessment categories in the classification. Feasibility assessment studies form an essential part of the process of assessing a mining project. The typical successive stages of feasibility assessment i.e. geological study as initial stage followed by prefeasibility study and feasibility study/mining report are well defined. The degree of economic viability (economic or subeconomic) is assessed in the course of prefeasibility and feasibility studies. A prefeasibility study provides a preliminary assessment with a lower level of accuracy than that of a feasibility study, by which economic viability is assessed in detail.

It is a three digit code based system, the economic viability axis representing the first digit, the feasibility axis the second digit and the geological axis the third digit. The three categories of economic viability have codes 1,2 and 3 in decreasing order, similarly the three categories of feasibility study have also codes 1,2 and 3 while the four stages of geological assessment are represented by 4 codes i.e. 1 (detailed exploration), 2 (general exploration), 3 (prospecting) and 4 (reconnaissance). Thus the highest category of resources under UNFC system will have the code (111) and lowest category the code (334). The various terms used in this classification and their definitions are as follows:

1.Total Mineral Resource

- -A concentration (or occurrence) of material of intrinsic economic interest.
- -Reasonable prospects for eventual economic extraction.
- -Location, grade, quantity, geological characteristic known, estimated or interpreted from specific geological evidence and knowledge.

(i)Measured Mineral Resource (331)

That part of mineral resource for which tonnage, densities, shape, physical characteristics, grade and mineral content can be estimated with a high level of confidence i.e. based on detailed exploration.

(ii)Indicated Mineral Resource (332)

Tonnage, densities, shape, physical characteristic, grade and mineral content can be estimated with reasonable level of confidence based on exploration,

sampling and testing information, location of borehole, pits etc. too widely spaced.

(iii) Inferred Mineral Resource (333)

Tonnage, grade and mineral content can be estimated with low level of confidence. Inferred from geological evidence.

2.Mineral Reserve

Economically mineable part of measured and/or indicated mineral resource.

- (i)Proved Mineral Reserves (111)
- Economically mineable part of Measured Mineral Resource.
- (ii)Probable Mineral Reserves (121 & 122)
 - Economically mineable part of Indicated or in some cases a Measured Mineral Resource.

3. Reconnaissance Mineral Resource (334)

Estimates based on regional geological studies and mapping, airborne and indirect Methods, preliminary field inspections as well as geological inference and extrapolation

4. Prefeasibility Mineral Resource (221 and 222)

- -That part of an indicated and in some circumstances measured mineral resource that has been shown by prefeasibility study to be not economically mineable.
- -Possibly economically viable subject to changes in technological, economic, environmental and/or other relevant condition.

5.Feasibility Mineral Resource (211)

That part of measured mineral resource, which after feasibility study has been found to be economically not mineable.

Possibly economically viable subject to changes in technological, economic, environmental and/or other relevant condition.

Definition of Uneconomic Occurrence

Materials of estimated quantity, that are too low in grade or for other reasons are not considered potentially economic. Thus, Uneconomic Occurrence is not part of a Mineral Resource. If quantity and quality are considered worthy of reporting, it should be recognized that an Uneconomic Occurrence cannot be exploited without major technological and/or economic changes, which are not currently predictable.

Mineral Occurrence:

A Mineral Occurrence is an indication of mineralisation, that is worthy of further investigation. The term Mineral Occurrence does not imply any measure of volume/tonnage or grade/quality and is thus not part of a Mineral Resource.

B. Definitions of Terms to be used in the United Nations International Framework Classification for Reserves/Resources

Solid Fuels and Mineral Commodities -

Definitions of Stages of Feasibility Assessment

Mining Report	A Mining Report is understood as the current documentation of the state of development and exploitation of a deposit during its economic life including current mining plans. It is generally made by the operator of the mine. The study takes into consideration the quantity and quality of the minerals extracted during the reporting time, changes in Economic Viability categories due to changes in prices and costs, development of relevant technology, newly imposed environmental or other regulations, and data on exploration conducted concurrently with mining. It presents the current status of the deposits, providing a detailed and accurate, up-to-date statement on the reserves and the remaining resources.
Feasibility Study	A Feasibility Study assesses in detail the technical soundness and Economic Viability of a mining project, and serves as the basis for the investment decision and as a bankable document for project financing. The study constitutes an audit of all geological, engineering, environmental, legal and economic information accumulated on the project. Generally, a separate environmental impact study is required.
	Cost data must be reasonably accurate (usually within ± 10%), and no further investigations should be necessary to make

the investment decision. The information basis associated with this level of accuracy comprises the reserve figures based on the results of Detailed Exploration, technological, pilot tests and capital and operating cost calculations such as quotations of equipment suppliers.

A detailed list of the important items addressed in a Feasibility Study is given below:

List of the more important items to be addressed in a Feasibility Study

Geographical conditions Infrastructure

Þ public utilities

Þ road, railways and other

Þ manpower

Geology

b structure, size, shape

▶ Mineral content, grade, density

P reserve/resource quantity and quality

b other relevant geological features

Legal Matters

P Rights and ownership

▶ Socioeconomic impact studies

▶ Public acceptance

▶ Land requirements

Operating

Þ rock mechanics

b mining equipment

Þ mining method

b construction plan and schedule

P appropriate technological pilot tests

Þ mill and processing plant

Þ tailings disposal

b water management

▶ transportation

Þ power supply

▶ manpower/labour relations

Þ auxiliary facilities and services

Þ closure design

Environment (if not dealt with in a separate study)

Market analysis Financial Analysis

▶ Capital cost

▶ Cashflow forecast

▶ Investment cost

▶ Inflation forecast

b Operating cost

▶ Sensitivity studies

▶ Rehabilitation cost

Risk Assessment

A sensitivity study may require independent verification in certain circumstances.

Definition of Stages of Feasibility Assessment (Contd.)

Prefeasibility Study

A Prefeasibility Study provides a preliminary assessment of the Economic Viability of a deposit and forms the basis for justifying further investigations (Detailed Exploration and Feasibility Study). It usually follows a successful exploration campaign, and summarizes all geological, engineering, environmental, legal and economic information accumulated to date on the project.

In projects that have reached a relatively advanced stage, the Prefeasibility Study should have error limits of \pm 25%. In less advanced projects higher errors are to be expected. Various terms are in use internationally for Prefeasibility Studies reflecting the actual accuracy level. The data required to achieve this level of accuracy are reserves/resources figures based on Detailed and General Exploration, technological tests at laboratory scale and cost estimates e.g. from catalogues or based on comparable mining operations.

The Prefeasibility Study addresses the items listed under the Feasibility Study, although not in as much details.

Geological Study

A Geological Study is an initial evaluation of Economic Viability. This is obtained by applying meaningful cut-off values for grade, thickness, depth and costs estimated from comparable mining operations.

Economic Viability categories, however, cannot in general be defined from the Geological Study because of the lack of detail necessary for an Economic Viability evaluation. The resource quantities estimated may indicate that the deposit is of intrinsic economic interest, i.e. in the range of economic to potentially economic.

A Geological Study is generally carried out in the following four main stages: Reconnaissance, Prospecting, General Exploration and Detailed Exploration (for definition of each stage see below). The purpose of the Geological Study is to identify mineralization, to establish continuity, quantity, and quality of a mineral deposit, and thereby define an investment opportunity.

Definitions of Stages of Geological Study

Reconnaissa nce

A Reconnaissance study identifies areas of enhanced mineral potential on a regional scale based primarily on results of regional geological studies, regional geological mapping, airborne and indirect methods, preliminary field inspection, as well as geological inference extrapolation. The objective is to identify mineralised areas investigation worthy of further towards identification. Estimates of quantities should only be made if sufficient data are available and when an analogy with known deposits of similar geological character is possible. and then only within an order of magnitude.

Prospecting

Prospecting is the systematic process of searching for a mineral deposit by narrowing down areas of promising enhanced mineral potential. The methods utilised are outcrop identification, geological mapping, and indirect methods such as geophysical and geochemical studies. Limited trenching, drilling, and sampling may be carried out. The objective is to identify a deposit which will be the target for further exploration. Estimates of quantities are inferred, based on interpretation of geological, geophysical and geochemical results.

General Exploration

General Exploration involves the initial delineation of an identified deposit. Methods used include surface mapping, widely spaced sampling, trenching and drilling for preliminary evaluation of mineral quantity and quality (including mineralogical tests on laboratory scale if required), and limited interpolation based on indirect methods of investigation. The objective is to establish the main geological features of a deposit, giving a reasonable indication of continuity and providing an initial estimate of size, shape, structure and grade. The degree of accuracy should be sufficient for deciding whether a Prefeasibility Study and Detailed Exploration are warranted.

Detailed Exploration

Detailed Exploration involves the detailed three-dimensional delineation of a known deposit achieved through sampling, such as from outcrops, trenches, boreholes, shafts and tunnels. Sampling grids are closely spaced such that size, shape, structure, grade, and other relevant characteristics of the deposit are established with a high degree of accuracy. Processing tests involving bulk sampling may be required. A decision whether to conduct a Feasibility Study can be made from the information provided by Detailed Exploration.

Definition of Economic Viability Categories

Economic	Quantities, rep	orte	d in tonn	es/v	olu:	me with grade/	/quality,
	demonstrated	by	means	of	а	Prefeasibility	Study,

Feasibility Study or Mining Report, in order of increasing accuracy, that justify extraction under the technological, economic, environmental and other relevant conditions, realistically assumed at the time of the determination. The term economic comprises both normal economic and exceptional economic as defined below. These two subcategories are for optional use on a national level. Normal Normal economic reserves are reserves that justify Economic extraction under competitive market conditions. Thus, the average value of the commodity mined per year must be such as to satisfy the required return on investment. Exceptional (conditional) economic reserves are reserves Exceptional Economic which at present are not economic under competitive (Conditional market conditions. Their exploitation is made possible through government subsidies and/or other supportive economic) measurees. Potentially Quantities, reported in tonnes/volume with grade/quality, demonstrated by means of a Prefeasibility Study, Economic Feasibility Study or Mining Report, in order of increasing accuracy, not justifying extraction under the technological economic, environmental and other relevant conditions, realistically assumed at the time of the determination, but possibly so in the future. The term potentially economic comprises both marginal and submarginal as defined below. These two subcategories are for optional use on a national level. Marginal Marginal economic resources are resources which at the **Economic** time of determination are not economic, but border on being so. They may become economic in the near future as a result of changes in technological, economic, environmental and/or other relevant conditions. Submarginal economic resources are resources that Submarginal would require a substantially higher commodity price or a **Economic** major cost-reducing advance in technology to render them economic. Economic to Quantities, reported in tonnes/volume with grade/quality, estimated by means of a Geological Study to be of intrinsic Potentially

Economic (intrinsically economic)	economic interest. Since the Geological Study includes only a preliminary evaluation of Economic Viability, no distinction can be made between economic and potentially economic1/. These Resources are therefore said to lie in the range of economic to potentially economic.
---	---

1/ Except in the case of low investment mineral commodities like sand, gravel and common clay, where a distinction between economic and potential economic can be made.

C. FIELD GUIDELINES FOR ADOPTION OF UNITED NATIONS FRAMEWORK CLASSIFICATION

I. Stratiform, Stratabound and Tabular Deposits of Regular Habit

Characteristics of deposits

Of regular habit with predictable change in trend with sharp to moderate physical contrast with bounded surfaces, low dipping to moderately steep, simply folded and faulted. Also as blanket cappings and surficial tabular bodies.

Principal kinds of minerals

Coal seams, lignite beds, iron ore formation and cappings, manganese horizons in sedimentary and meta-sedimentary sequences, thick bauxite cappings, regional chromite lodes in large ultramafics; limestone, dolomite, barytes, gypsum, evaporites (including potash and salt beds), chalk and fireclay, fuller's earth.

GEOLOGICAL AXIS

G4	G3 (Prospecting)	G2(General	G1(Detailed
(Reconnaissance)		Exploration)	Exploration)
1.Aerial	1.Geological	1.Geological	1.Geological
reconnaissance:	survey:	survey :	survey:
Remote sensing,	Mapping on	(i)Mapping on	(i)Mapping-For
airborne	1:50,000 to	1:25,000 to	coal, mapping
geophysical survey	1:25,000 scale	1:5,000 or larger	1:5000;for
etc.	(for coal, lignite	scale with	other minerals
2.Geological	exploration-	triangulation	1:1000
survey:	mapping on	points,	(ii)Preparation
Mapping on 1:	1:10,000);	benchmarks, if	of detailed
50,000 or smaller	(ii)Linking of maps	any shown For	topographical-
scales.	so prepared with	coal, mapping on	cum-geological
3.Geochemical	topo-grids;	1:10,000 scale	map including
survey:	(iii)Assessment of	(ii) Linking of	all surface
(i)Grab/chip	lithology, structure,	maps so prepared	geological
sampling of rocks	surface	with topogrid;	features, extent
or weathered	mineralisation,	(iii)Assessment of	of deposit,
profiles (Nil for	analysis of old	lithology,	structure,
coal/lignite);	history of mining.	structure, surface	location of
(ii)Recording of	2.Geochemical	mineralisation,	boreholes,
broad	survey:	analysis of old	assay plan and
geomorphologeogy,	Geochemical	history of mining.	sections of
drainage, etc.	sampling, rock	2. Geochemical	exploratory

4.Geophysical survey: Ground geophysical survey. 5.Technological (i)Trenching - One or two to expose mineralised zone at ideal locations only; (ii)Pitting/drilling: Up to 5 test pits/boreholes per 100 sq.km. area; (iii)Scout drilling -A few to know the existence of coal/lignite; (iv)Sampling Regional and random grab/chip

sampling.

Petrographic and mineragraphic studies: Determination rock principal mineral types, assemblage, identification of minerals of interest (especially of metallic minerals and gangues). 7.Synthesis of all available data/concepts. 8. The activities as above or less than that required for G3.

type-wise and necessary, rock type-cum-skeletal soil-domain-wise metallic (for all mineral exploration). 3.Geophysical survey: Detailed ground geophysical work; bore-hole geophysical logging, if possible. 4)Technological: (a)Pitting/trenching bed explore rock/mineralised zone; (b)Drilling:Prelimina drilling (dry ry drilling for bauxite and in formation vulnerable to wash). Bore-hole spacing -

(i)Coal, gypsum, near surface potash and salt-beds- 1000 to 2000 meters: ii)Iron and manganese ore -200 to 400 m; iii)Limestone and dolomite - 400 to 500 m; (iv)Bauxite of thick capping - 300 to 400 m. v) Chromite as regional lode - 300 m; vi)Barytes formations - 400 to 500 m. Sampling: c) Sampling at welldefined locations at surface and also from pits/trenches, boreholes and mine existing openings.

survey: (i)Detailed lithogeochemical channel sampling from fresh rock exposures, trenches, pits; (ii)Recording of deleterious elements. likely by-product elements (e.g. Ga bauxite, Ni, PGE etc. in chromite, Au in Fe ore, etc. (Nil coal/lignite exploration); (iii)In coal/ lignite exploration, geochemical sampling of coal and water to be for done environmental study. 3.Geophysical survey: (i)Borehole geophysical survey; (ii)Special geophysical traverses for problem solving, if required. 4.Technological: (a)Pitting/trenchin g: systematic pitting/trenching deciphering for extent of mineralisation at surface. (b)Drilling: grid reduction needed: (i) spacing for coal, gypsum surface near potash and salt beds-400 to 1000m;

(ii)

Iron

and

mine development and borehole data: (iii)Topogrid/tria ngulation stations/identifi fiducials ed linking in the maps. 2.Geochemical survey: Detailed grid pattern sampling and analysis. 3.Geophysical survey: Detailed and specific borehole geophysical survey. 4.Technologica (i)Pitting -2 to 5 per sq. km. for simple deposits; (ii)Trenching -At spacing of 200-300m; (iii) Drillingcloser spaced (with definite grid pattern) than that for G2 category; For coal, i)Density of boreholes to be 12 to 15 per sq.km. depending on the complexities for geostructural proving.ii) For opencast project grid spacing may be 100m x 50m

on

depending

5.Petrographic/min eragr-aphic studies: (i)Petrographic study of rocks of the deposit and its surroundings, alterations (if any) connected with mineralisation; (ii)Determination of phase in which mineral of interest occur; iii)Mineralogical studies including paragenesis, identification zones of oxidation and primary zones, grain size distribution, overall characteristics of useful minerals.

manganese ore-100 to 200m. (iii) limestone and and dolomite barytes- 200 to 400m up to a depth of at least 30 m: iv)bauxite of thick cappings and chromite as regional lode-100 to 300m. ©Sampling: i)Systematic pit and trench sampling, deep pitting if necessary; ii)Core sampling: lithology and strength of mineralisation wise (check sampling -10%). (d)Laboratory scale scanning/chemical analysis,Bulk sampling necessary for testing processing technology. (f) Collection of abiotic geoenvironmental parameters. 5.Petrographic: Study of petrographic character of rocks including grain size,texture etc.

the geology, weather mantle cover, burning nature of coal seams. (iv)Exploratory mining and drilling check results if possible (v)Samplingpit systematic and trench sampling, core and sludge sampling for laboratory scale and bulk sample for the pilot plant scale beneficiation studies. 5.Petrographic and mineragraphic study: Refining of data on the petrographic character of rocks of the deposit and its surroundings, alterations (if any), including study of grain size texture gangue and its liberation characteristics further for refining of data 6)Geostatistical of analysis borehole data thickness of ore : waste encountered in holes, assay values of samples if considered neccesarry.

FEASIBILITY AXIS

F3 (Geological Study)	F2 (Pre-feasibility Study)	F1 (Feasibility Study)
1.Geological and related study: i)Geological, mineralogical and chemical analysis data; ii)Topographical setting and nature of land; (iii) Infrastructure; iv)Meteorological and preliminary ecology data if possible. 2. The activities as above or less than that required for F 2.	1.Geology: Local geology, mineralogy, identification of ore types and geometry. 2.Mining: Methods, preproduction plan, development plan, manpower (rough estimate). 3.Environment: Base line data on environment. 4.Processing: Proven laboratory scale/pilot scale beneficiation, investigation data,likely establishment, 5.Infrastructure and services, construction activities: Brief details 6.Costing: Capital and operating cost - rough estimates based on comparable mining operations. 7.Marketing: Overview like industrial structure, demand supply relation, pricing, etc. 8.Economic viability:Preliminary study of cash flow forecasts. 9. Other factors: Statutory provisions relating to labour, land, mining, taxation, etc.	1.Geology: Geology of area and project, detailed exploration, closed spaced drilling, ore body modelling, bulk samples for beneficiation, geotechnical and ground water &surface waters studies. However for coal, beneficiation studies to be carried out depending upon coal qualities. 2.Mining: Mining plan, mine recoveries and efficiencies, equipment selection, manpower requirement. 3.Environment: EIA studies and EMP including socioeconomic impact, rehabilitation of project affected persons, waste disposal/reclamation., detailed land use data. 4.Processing: Pilot scale/industrial scale investigation data, list of equipment, manpower and environmental considerations like waste disposal of tailing, etc. 5.Infrastructure and services, construction activities: Full details 6.Costing: Detailed break-up of capital cost, operating cost, details of working capital. 7.Marketing: Overview, specific market aspects. 8.Economic viability: Cash flow forecast, inflation effects, sensitivity studies. 9.Other factors: Statutory provisions relating to labour, land, mining, taxation etc.

ECONOMIC AXIS

E3(Intrinsically Economic)	E2 (Potentially Economic)	E1(Economic)
1.Reconnaissance to detailed geological study, rough estimates of grades (may be below economic cut-off), general idea about forest /non –forest and land use status. 2. The activities as above or less than that required for E 2.	1.General and detailed exploration 2.Specific end-use grades of reserves (above /marginally below economic cut-off grade). 3. General knowledge of forest/non-forest and other land use data.	1.Detailed exploration. 2.Mining report /mining plan / working mines. 3.Specific end-use grades of reserves (above economic cut-off grade). 4. Specific knowledge of forest/non-forest and other land use data.

II.Stratiform, Stratabound and Tabular Deposits of Irregular Habit

Characteristics of deposits

Of irregular habit and /or with faults of large measures, shear zones, solution cavities, irregular erosion and weathering (oxidation) features, partings and bifurcations, igneous intrusives, facies changes, etc.

Principal kinds of minerals

Coal seams, lignite belt, iron ore formations and cappings, manganese horizons in sedimentary and meta-sedimentary sequences, thick bauxite cappings, regional chromite lodes in large ultramafics, limestone, dolomite, barytes, gypsum, evaporites including potash and saltbelts, chalk and fireclay, fullers earth, gold in banded iron formation, platinum group of elements in chromite or in chromite bearing rocks and molybdenum in shear - controlled zones.

GEOLOGICAL AXIS

G4	G3 (Prospecting)	G2 (General	G1(Detailed
(Reconnaissance)	OS (i Tospecting)	Exploration)	Exploration)
(Neconnaissance)		Exploration)	Exploration)
1.Aerial	1.Geological	1.Geological survey:	1.Geological
reconnaissance:	survey: (i)	(i) Mapping on	survey:
Remote sensing,	Mapping on	1:25000 to 1:1000 or	i)Mapping a)Coal
airborne	1:50,000 to	larger scale with	-1:5000
geophysical	1:25,000 scale	triangulation points,	b) For other
survey, etc.	(for coal, lignite	benchmarks, if	minerals-1:1000
2.Geological	exploration-	any;For coal,	or larger scale;
survey:	mapping on	mapping on1:10,000	(ii)Preparation of
Mapping on	1:10,000);	scale (ii)	detailed
1:50,000 or	(ii) Linking of	Linking of maps so	topographical -
smaller scales.	maps so prepared	prepared with topo-	cum-geological
3.Geochemical	with topogrids; (iii)	grids.	map including all
survey:	Assessment of	2.Geochemical	surface
(i)Grab/chip	detailed	survey:	geological
sampling of rocks	statigraphy,	(i)Detailed litho-	features, extent
or weathered	lithology,	chemical channel	of deposit,
profiles (Nil for	structure, surface	samplling from fresh	structure,
coal/lignite	mineralisation,	rock exposures,	location of
exploration);	analysis of old	trenches, pits;	boreholes, assay
(ii)Recording of	history of mining.	(ii)Recording of	plan and
broad	2.Geochemical	deleterious	sections of
geomorphology,	survey:	elements,likely by-	exploratory mine
drainage etc.	Grid geochemical	product elements	development and
4.Geophysical	sampling- rock	(e.g. Ga in bauxite,	borehole data.
survey : Ground	type wise and if	Ni, PGE etc. in	2.Geochemical
geophysical	necessary, soil-	chromite, Au in Fe	survey:
survey.	domain-wise (for	ore, etc. (Nil for coal/	Detailed
5.Technological :	all metallic	lignite exploration).	lithogeochemical
(i)Trenching -	mineral	Geophysical	analysis

One or two to expose mineralised zones at ideal locations only: (ii)Pitting /drilling-Upto 5 test pits / boreholes per 100 sq.km area; (iii)Scout drilling a few to know existence of coal /lignite; (iv)Sampling and Regional random grab/chip sampling.

6.Petrographic and mineragraphic studies: (i)Determination of principal rock types, mineral assemblage; (ii)Identification of minerals interest(especially metallic and minerals gangues); 7.Synthesis of all available data / concepts. 8. The activities as above or less than that required for G-3.

exploration). 3.Geophysical survey: ground Detailed geophysical work. 4.Technological: (i)Pitting/trenching drilling depending variability; Selection of drilling sites best suited to unravel the lithological/ structural complexities. 5.Petrographic/mi ner-agraphic studies: (i)Petrographic study of rocks of the deposit and its surroundings, alterations any), connected with mineralisation; (ii)Determination of phase in which mineral of interest occur: (iii)Mineralogical studies including paragenesis, identification of zones of oxidation and primary zones, grain size distribution. overall characteristics of

useful minerals.

(i)Borehole survey: geophysical survey; (ii)Special geophysical traverses for problem solving if required; (iii)Concurrent synthesis of multidisciplinary data, Bore-hole geophysical logging, if possible. 4. Technological: (i)Pitting/trenchingpitting/trenching for helping surface and subsurface correlation mineralised zones; (ii)Drilling - Close spaced at 200 x 200m grid to decipher the ore behaviour shoot atleast at two level. In general, spacing of probe points along strike may be 100m but in specific cases depending on the necessity it may be brought down to 50 especially for precious metals. A few probe points for deeper intersections; (iii)Detailed core sampling, bulk sampling for testing of processing technology (iv)Collection of abiotic geoenvironmental parameters. Petrographic: 5. Refining of data on petrographic the character of rocks including study of size,texture grain liberation and characteristics.

3.Geophysical survey: Detailed borehole geophysical survey

4. Technological: (i)Pitting: 3 to 5 nos. for every mass body or at 100-200 meter grid interval; (ii)Trenching-Αt spacing of 50 to 200 meters; (iii)Drilling-Closer spaced than that for G-2 at 3-4 levels down to a workable depth;(iv)Sampling-Core and sludge, pits samples for grade analysis or beneficiation, bulk samples for laboratory scale / pilot plant investigation; (v)Collection of geoabiotic environmental data - its further refining analysis. and 5.Petrographic: Study of petrographic characters of rock and study of useful minerals. 6)Geostatistical analysis of borehole data, thickness of ore: waste encountered holes, assay values of samples if considered neccesarry.

FEASIBILITY AXIS

F3 (Geological Study)	F2 (Pre-feasibility Study)	F1 (Feasibility Study)
1.Geological study(i) Geological study encompassing reconnaissance to prospecting, general/ detailed exploration; (ii) Geological map depicting extent of mineralisation lithology/host rocks, mineralogical and chemical data and its interpretions, studies on amenability to beneficiation, recoveries and their estimates; (iii)Infrastructure; (iv)Environmental: Meteorological and preliminary ecological data of area if possible. 2.The activities as above or less than that required for F2.	1.Geology:General/ detailed exploration ,moderate to close spaced drilling, trench/pit/ bore hole sampling to delineate complexity of ore body/ mineralisation, bulk sampling for processing/ beneficiation (bench scale/pilot scale). 2. Mining: Methods with geotechnical considerations,preproducti on plan, likely mine recoveries. 3. Environmental: Base line data on environment of the area. 4. Processing: Proven laboratory scale/pilot plant scale ore dressing investigations on bulk samples, likely establishment of plant and cost estimates thereof. 5. Infrastructure and services and constructions activities: Brief details. 6. Costing: Capital cost with estimates based on comparable mining operations 7.Marketing: Over view on demand supply relations, industry structure, pricing etc. 8.Economic viability: Preliminary study of cash flow forecast. 9.Other factors: Statutory provisions relating to labour, land, mining, taxation etc.	1.Geology: Geology of area and project, detailed exploration, closed spaced drilling, ore body modelling, bulk samples for beneficiation, geotechnical and ground water&surface water studies. 2.Mining: Methods with special emphasis on detailed geotechnical test work/ site characterisation studies, safety measures; mining plan, mine recoveries and efficiency with variability due to structural complexeties like close folds and faults; detailed estimates of manpower. 3. Environmental: (i)Environmental impact assessment (EIA) studies/environmental management plan (EMP) including socioeconomic impacts; (ii)Rehabilitation of project affected persons, and waste disposal/reclaimation; detailed land use data. 4. Processing: Details of proven pilot plant scale/ industrial scale investigations appended with layout design, equipment list fuel/power consumption, specification for product/ by-product, disposal of tailings, effluent and future remedial measures. 5.Infrastructure and services and

ECONOMIC AXIS

E3(Intrinsically Economic)	E2 (Potentially Economic)	E1(Economic)
1.Reconnaissance to detailed geological study, rough estimates of grades (may be below economic cutoff), general idea about forest/non- forest and land use status. 2. The activities as above or less than that required for E 2.	1.General and detailed exploration.2.Specific end-use grades of reserves (above economic cut-off grade).3. General knowledge of forest/non-forest and other land use data	1.Detailed exploration. Mining report/mining plan/ working mine. Specific end-use grades of reserves (above economic cut-off grade). 4. Specific knowledge of forest/non-forest and other land use data.

III. Lenticular Bodies of All Dimensions Including Bodies Occurring en echelon, Silicified Linear Zones of Composite Veins

Characteristics of Deposits

Gradual and abrupt change in thickness and grade along strike and dip direction; bounding surfaces of mineralized bodies often, but in sulphides mostly, defined by assay contacts:

A. massive bodies with irregular shape and grade-homogeneous to inhomogeneous distribution of metal values as in replacement and disseminated type bodies - shapes interpretative;

B. steeply dipping narrow bodies with or without pitch, pinch and swell type, with or with out bi-furcations, partings etc.

Principal kinds of minerals

Base metal sulphides, supergene iron and manganese ore bodies in lateritoid country, pockety bauxite and nickel-cobalt lateritoids, auriferous quartz reefs, PGM in association with sulphides , graphite lenses, porphyry deposits of copper, molybdenum, and tin, pyrite, pyrrhotite bodies .

GEOLOGICAL AXIS

G4 (Reconnaissance)	G3 (Prospecting)	G2 (General Exploration)	G1 (Detailed
			Exploration)
1.Aerial	1.Geological survey:	1.Geological survey:	1.Geological
Recconnaissance:	: (i)Mapping on	(i)Mapping on	survey:(i)Ma
Remote sensing,	1:50,000 to	1:5,000 to 1:1,000 or	pping-1:1000
airborne geophysical	1:5000 scale	larger scale with	or larger
survey etc.	depending on	triangulation stations,	scale;
2. Geological	geology of area;	benchmarks, if any;	(ii)Preparatio
survey:	(ii)Linking of maps so	(ii)Linking of maps so	n of detailed
Mapping on 1:50,000	prepared with	prepared with topo-	topographical
or smaller scales.	topogrids;	grids,	-cum-
3.Geochemical	(iii)Assessment of	(iii)Assessment of	geological
survey: (i)Stream	lithology, structure,	lithology, structure,	map
sediment, soil	surface	surface	including all
overburden, rocks,	mineralisation and	mineralisation,	surface
chips, grabs,	analysis of old	analysis of old history	geological
groundwater and any	history of mining.	of mining.	features,
other soluble media	2.Geochemical	Geochemical survey:	extent of
(decided on the	survey: (i)Study of	(i)Detailed litho-geo-	deposit,
basis of orientation	detailed and primary		structure,
survey) sampling,	and secondary	sampling from fresh	location of
identification of ore	geochemical	rock exposures,	pits/trenches/
significant zones;	parameters(close	trenches, pits for	boreholes,
	grid sampling) of		assay plan
(ii)Delineation of	prospects and their	data; (ii)Recording of	and sections

predominently forest area. geomorphology, landforms and vegetable developments etc. 4.Geophysical survey Ground geophysical survey. 5.Technological (i)Widely spaced pitting/trenching to expose mineralised zones; (ii)Sampling a)Regional and grab/chip random sampling, b)Channel sampling exposures trenches. 6.Petrographic and mineragraphic studies: (i)Determination of principal rock types, mineral assemblages; (ii) Identification of minerals of interest (especially metallic minerals and gangues). 7.Synthesis of all available data/concepts 8. The activities as above or less than that required for G3.

processing rock typewise and rock typecum-overburden wise for identification of ore significant anomaly zones; (ii)Recording deleterious elements, by-product elements. 3.Geophysical survey: (i)Detailed ground geophysical work; (ii)Bore-hole geophysical survey. 4.Technological: (i)Pitting/trenching to explore mineralised zones to decipher surface manifestation of mineralisation moderately spaced preferably at 500 -400m interval; (ii)Preliminary drilling (a) Spacing will be guided by the structural complexity nature discontinuity, (b)Spacing of probe points along strike between generally 100 and 200m; (iii)Further drilling to be planned to intersect oreshoot.ore body least at two levels with only few deeper level intersections; (iv)Exploration planning to be guided by the result ground of geochemical and geophysical studies, pit sampling/ trench/core sampling check (5% sampling). 5.Petrographic/miner

deleterious elements and likely by-product elements. 3.Geophysical (i) survey: Borehole geophysical survey (ii)Special geophysical traverses for problem solving if required. TechnologicalPitting/t renching for helping surface and subsurface, correlation of mineralised zones; (ii)Drillingclose -spaced drilling to decipher the ore shoot behaviour atleast upto two in levels; general, of spacing probe points along strike may be 100m but in specific cases, depending on the necessity, it may be brought down to 50 especially for m. precious metals; a few probe points for deeper intersections; (iii)Detailed core sampling, bulk sampling for testing processing technology; (iv)Collection of abiotic geoenvironmental (10% parameters. check sampling). 5.Petrographic; Detailed study of data on the petrographic character of rocks including study of grain size ,texture, liberation characteristics.

of
exploratory
mine
development
and borehole
data.
2.Geochemic
al survey:

(i)Detailed litho-geochemical channel sampling from fresh rock exposures/ trenches, pits; (ii)Analysis of geo-chemical data for potential utilisation. Geophysical survey: (i) Borehole geophysical survey (ii)Special geophysical traverses for problem solving if required. 4.Technologi (i)Pitting/tren ching helping surface and subsurface correlation of mineralised zones: (ii)Drilling: closerspaced than that for G2 and upto the depth of 100-50 m. below the oxidation (i)Petrographic study rocks of of the deposit and its surroundings, alterations (if any), connected with mineralisation; (ii)Determination of phase in which mineral of interest occurs; (iii)Mineralogical including studies paragenesis, identification of zones of oxidation and primary zones, grain size distribution, overall characteristics of useful minerals.

studies:

agraphic

zone depending the on necessity it be may brought down to 50 m. or less especially for precious metals; a few probe points for deeper intersections; (iii)Samplingdetailed core sampling, bulk sampling for testing of processing technology laboratory/pil plant ot scale; (iv)Collection abiotic geoenvironment al parameters. 5.Petrographi Detailed study of data the petrographic character of rocks including study of grain size ,texture, liberation characteristic s and further refining data. 6)Geostatisti cal analysis borehole of data (thickness of ore :waste

encountere in hole	
assay values) considered	if I
necessary.	

FEASIBILITY AXIS		
F3 (Geological Study)	F2 (Pre-feasibility Study)	F1 (Feasibility Study)
1.Geological and related study: Geology of area, reconnaissance and prospecting by geochemical and geophysical surveys/general exploration/detailed exploration, core and sludge samples, for beneficiation; geological maps depicting extent and dimension of mineralisation lithology of host rocks, controls and guides for mineralisation, amenability to beneficiation; infrastructure; environmental base line data. 2. The activities as above or less than that required for F2.	1.Geology: Geology of area, detailed exploration/general exploration guided by geochemical and geo-physical surveys, moderate to closespaced drilling, different mineralised zones at viable cut off grades, core and sludge sampling for exploratory stage beneficiation studies/laboratory scale investigations. 2.Mining: Methods, preproduction plan, development plan, manpower requirements. 3.Environment: EIA/EMP with details of waste disposal and likely unavoidable effects of projects. 4.Processing: Proven laboratory scale/pilot plant	1.Geology: Geology of area and project, detailed exploration, closed spaced drilling, exploratory mining upto 2nd level and undeground boreholes, channel/groove sampling (50-100 cm), ore body modelling, bulk samples for beneficiation, geotechnical and ground & surface waters studies. However for coal beneficiation studies to be carried out depending upon coal qualities. 2.Mining: Mining plan, mine recoveries and efficiencies, man
	scale ore dressing investigations on bulk samples and likely establishment, cost estimates for processing plant. 5.Infrastructure and services and construction activities: Brief details. 6.Costing :Capital and operating costs-rough estimates based on comparable mining operations. 7.Marketing: An overview,	power requirements. 3.Environment: EIA/EMP including socio economic impact, rehabilitation of project affected persons, waste disposal/ zeclamation;.detailed land use data. 4.Processing: Details of proven pilot plant /industrial scale investigations, appended with plant layout, design,

ECONOMIC AXIS

E3(Intrinsically Economic)	E2 (Potentially Economic)	E1(Economic)
1.Reconnaissance to detailed geological study, rough estimates of grades (may be below economic cut -off), general idea about forest / non - forest and land use status. 2.The activities as above or less than that required for E2.	1.General and detailed exploration. 2. Specific end-use grades of reserves (above/marginally below economic cut-off grade). 3. General knowledge of forest/non-forest and other land use data.	 Detailed exploration. Mining report/mining plan/ working mines. Specific end-use grades of reserves (above economic cut-off grade). Specific knowledge of forest/non-forest and other land use data.

IV. Lenses, Veins and Pockets; Stock-works, Irregular Shaped,

Modest to Small size Bodies

Characteristics of deposits

Bodies distributed in space lacking estimable regular patterns; structural control less than lithologic, if any; small cluster of multi-shaped bodies, of volcanic origin pipes and chimneys, of magmatic origin, plugs and pots, clots and seggregations of hydrothermal origin – vein and replacement. Bodies in stockwork, metaporphic and meta-somatic in skarn and tektites, in griesens and in thermal aureole around intrusives.

Principal kinds of minerals

Small multimetal complex sulphide bodies of Cu-Pb-Zn-Sb-Hg, podiform chromite, Sn-Ag chimneys and pipes; tektite mineral bodies, skarn bodies of scheelite, powellite, wollastonite, fluorite etc. and semi-precious minerals, network of apatite, baryte, asbestos veins, vermiculite bodies, magnesite lenses and mica in pegmatites, pyrophyllite lenses and veins, high grade bauxite in clay pockets, clay, ochre and bentonite lenses, diamond pipes.

GEOLOGICAL AXIS

GEOLOGICAL AXIS	•		
G4	G3 (Prospecting)	G2(General	G1(Detailed
(Reconnaissance)		Exploration)	Exploration)
, ,		,	,
1.Aerial	1.Geological survey:	1.Geological	1.Geological
reconnaissance:R	Mapping on 1:5,000	survey: Mapping	survey:
e-	scale and larger	on 1:5,000 to	(i)Mapping on
mote sensing,	scale;Linking of the	1:1,000 scales	1:1000 scale;
airborne	geological maps with	with triangular	(ii)Preparation of
geophysical	topo-grids;	stations, bench	topographical-
survey etc.	(iii)Assessmen of	marks if any and	cum- geological
2.Geological	stratigraphy,	fiducials plotted.	map including all
survey:	lithology, structure	2.Geochemical	surface geological
Mapping on	surface shows of	survey:	features,extent of
1:50,000 scale or	mineralisation and	Detailed	deposit,
smaller scales.	analysis of	lithogeochemical	trenches,pits,bore
3.Geochemical	metallogeny.	sampling for	hole locations,
survey:	2.Geochemical	further refining of	level-wise assay
(i)Sampling of	survey:	data.	plan and
stream, sediment,	(i)Study of detailed	3.Geophysical	exploratory mine
soil over burden,	primary and	survey:	development.
rock chips, grabs,	secondary	Borehole	Geochemical
ground water or	geochemical	geophysical	survey:
any other soluble	parameters based on	surveys, special	Detailed litho-
media;	closed grid sampling,	geophysical	geochemical
(ii)Delineation of	identification of ore	surveys for	channel sampling

predominantly forest areas, geomorphology, landforms and vegetable development. 4.Geophysical survey:Ground geophysical work. 5. Technological: (i)Pitting drilling: Upto 5 test pits/bore boles per 100 sq. km. area; (ii)Sampling Regional and random sampling; (iii)Collection of sample for deciphering the mineralised zones. 6.Petrographic and mineragraphic study: (i)Determination of principal rock types and mineral assembleges; (ii)Identification of minerals of interest and and gangues determination of useful minerals. 7. Synthesis of all available data/concepts. 8. The activities as above or less than that required for

G3.

significant anomaly zones: (ii)Recording of deleterious and byproduct elements. 3.Geophysical survey: (i)Detailed ground geophysical work; (ii)Borehole geophyssurvey. 4.Technological (i) Sampling at well defined locations, extensive pit, trench and surface sampling to decipher the extent and grade of mineralisation at surface: (ii)Core sampling; (iii)Laboratory studies of samples; (iv)Check samples-10%; (v)Deep pitting decipher grade variation of irregularly shape mineralisation; (vi)Drilling - 100m to 50 m. interval: borehole deviation survey. 5.Petrographic and mineragraphic (i)Petrographic studies of rocks of deposits and surrounding. alteration connected with mineralisation; (ii)Mineralogical studies including identification of zones of oxidation primary zones, grain size analysis, overall chracteristics of useful and deleterious minerals.

problems solving if required. 4. Technological: (i)Closed spaced trenching and extensive sampling for exploring irregularly shaped zones of mineralization; (ii)Close space (50mdrilling 30m); iii)Bore hole deviation surveys; (iv)Beneficiation tests; (v)Exploration preferably with exploratory mining, systematic sampling, core analysis check 10%, deep piting. 5.Petrographic:

Further refining of

data.

pits /trenches. 3.Geophysical survey: Wherever necessary. 4. Technological: (i)Pitting /trenchingas necessary; (ii)Drilling - 30 to 15 m or less strike interval upto а depth of 100m; (iii)Exploratory 2-3 mining: levels at 20-30m interval wherever necessary; (iv)Core sludge, channel, bulk samples for beneficiation studies on bench/ pilot scale. 5. Petrographic: Further refining of data. 6)Geostatistical analysis of borehole data (thickness of ore :waste encountered in holes, assay values), if considered

neccesarry.

from

exposures,

fresh

rock

FEASIBILITY AXIS

FEASIBILITY AXIS		
F3 (Geological Study)	F2 (Pre-feasibility Study)	F1 (Feasibility Study)
1.Geological and related study: (i)Reconnaissance prospecting by geochemical, geophysical, scout drilling to understand controls of mineralisations/ general and detailed exploration; (ii)Geological maps showing extent and persistence of mineralisations, guides, controls, hostrock, lithology etc; (iii)Infrastructure; (iv)Preliminary ecological and meteorological data, if possible. 2. The activities as above or less than that required for F2.	1.Geology: (i)Geology of area; (ii)General and detailed exploration guided by surface and sub-surface geochemical and geophysical data, exploratory mining details. 2.Mining: mine recoveries estimates, man power details, preproduction plan . 3.Environment: Baseline data, potential constraints on project. 4.Processing: Proven laboratory scale /pilot scale investigations on bulk samples; likely establishment of plant; possibilities of cost estimates. 5.Infrastructure, construction, services etc:Brief details . 6.Costing: Capital and operating cost estimates based on comparable mining operations . 7.Marketing:An overview, demand and supply relations, industry structure, pricing. 8.Economic viability: Preliminary studies of cash flow forecasts. 9. Other factors: Statutory provisions relating to land, labour, mining, taxation, etc.	1.Geology: Geology of project, detailed exploration with larger inputs of exploratory mining, deep pitting, trenching /benching, underground boreholes, closed spaced drilling. 2.Mining: Mining plan, meticulous methods with special emphasis on geotechnical, production aspects; safety measures, mine recoveries, efficiency variability due to various controls. Environment: EIA/EMP including socioeconomic impact rehabilitation of project affected persons and waste disposal/ reclamation; detailed land use data. 4.Processing: Proven details of pilot plant scale investigation, appended with layout, plant design, manpower requirements, fuel/power consumption, disposal of effulents and present/future remedial measures. 5.Infrastructure, constructions and service: Full details. 6.Costing: Detailed break up of capital and operating cost and details of working capitals. 7.Marketing: An overview, specific market aspects. 8.Economic viability: Cash flow forecast, inflation effects, sensitivity studies. 9.Other factors: Statutory provisions relating to land, labour, mining, taxation, etc.

ECONOMIC AXIS

E3(Intrinsically Economic)	E2 (Potentially Economic)	E1(Economic)
1.Reconnaissance to detailed geological study, rough estimates of grades (may be below economic cutoff), general idea about forest / non - forest and land use status. 2.The activities as above or less than that required for E2.	General and detailed exploration. 2 . Specific end-use grades of reserves (above/marginally below economic cut-off grade). 3. General knowledge of forest/non-forest and other land use data.	1.Detailed exploration. 2.Mining report/mining plan/working mines. 3.Specific end-use grades of reserves (above economic cut-off grade). 4. Specific knowledge of forest/non-forest and other land use data.

V. Gem- Stones and Rare Metal Pegmatites, Reefs and Veins

Characteristics of Deposit

Highly erratic distribution of minerals and metals. No trend in grade and thickness, no assured continuity, cluster of high values in barren zones, structural and lithologic controls undeterminate.

Principal kinds of Minerals

Tin-tungstun-tantalum-molybdenum veins and pegmatites, beryl, topaz, emerald, cesium deposits, mineralisation associated with alkaline rocks, complexes and veins and plugs of carbonatites.

GEOLOGICAL AXIS

GEOLOGICAL AXIS				
G4(Reconnaissance)	G3 (Prospecting)	G2(General	G1(Detailed	
,	ν , , σ,	Exploration)	Exploration)	
		,	, , ,	
1.Aerial	1.Geological survey:	1.Geological survey:	1.Geological	
reconnaissance:	(i)Mapping: 1:50,000 to	(i)Mapping on 1:5000	survey:	
Remote sensing,	1:25000 scale;	or larger scales with	(i)Mapping on	
airborne	(ii)Linking of geological	triangulation stations,	1:2000 scale or	
geophysical	maps with topogrids;	bench marks, if any	larger scale;	
survey etc.	(iii)Assessment of	and fiducials shown;	(ii)Preparation of	
2.Geological	stratigraphy, lithology,	(ii)Linking of geological	detailed	
survey:	structure, surface shows	maps with topogrids.	topographical	
Mapping on	of mineralisation, analysis	2. Geochemical survey:	cum geological	
1:50,000 scale or	of old history of mining.	(i)Detailed litho-	map, including	
smaller scales.	2.Geochemical survey:	geochemical channel	all surface	
3.Geochemical	•	sampling from fresh	geologica	
survey:	(i)Closed -grid geoche-	rock exposures,	features ,extent	
(i)Grab/chip	mical sampling, rocktype	trenches, pits etc;	of	
sampling of	wise and if necessary	(ii)Recording of	deposit,location	
rocks or	rock type-cum -skeletal	deleterious and likely	of trenches, pits,	
weathered	soil -domain-wise;	by -product elements.	boreholes,	
profiles;		Geophysical:	geological plan	
(ii)Recording of	(ii)Geochemical	Detailed and	and sections of	
broad	specialization with	specialised geophysical	exploratory	
geomorphology,	respect to element of	studies (e.g.	mining.	
drainage etc.	interest of pegmatite rock	missalamasse,	2.Geochemical:	
Geophysical	to be deciphered and	borehole geophysical	Detailed litho-	
survey:	identification of path	study etc.) to unravel	geochemical	
Ground	finder and trace	the three dimensional	analysis.	
geophysical	elements.	configuration of host		
work.		rock.	3.Geophysical :	
	3.Geophysical survey:	4.Technological:	Detailed survey if	
5.Technological:	Detailed ground	(i)Pitting/trenching- pits	necessary and	
(i)Trenching-	geophysical work to	on regular grid pattern	specific borehole	
One or two	delimit the potential host	(preferably at 50 m.	geophysical	
random pits or	rock.	sq.grid) in colluvial	studies.	

trenches: (ii)Pitting/drilling: Upto 5 test pits per100sq. km area: (iii)Sampling-Regional and random grab sampling, stream sediment after sampling orientation for survey narrowing down target areas.

Petrography and minerography: (i)Determination of main rock and types mineral assemblages; (ii)Identification of minerals of interest and gangues. Synthesis of all available data/concepts. 8. The activities as above or less than that required for G3.

4. Technological:

- (i)Pitting and trenching in colluvial zones, residual overburden and on primary host rocks; randomly distributed;
- (ii)Drilling-only to broadly test the continuity of host rock at 100 m to 200m strike spacing;
- (iii) Sampling- At surface across zones mineralisation; also from pits and trenches on the basis of lithological homogenity; closer spaced stream sediments (2-3)sampling samples per sq. km) for further narrowing down target areas; (iv)Core sampling. Petrographic and mineragraphic:
- (i)Petrographic study of rocks of the deposit and its surrounding, alterations (if any) associated with mineralisation;
- (ii)Determination of phase in which the mineral of interest occurs; (iii)Mineralogical studies including paragenesis, identification of zones of oxidation if any, and primary zones, grain size distribution, over all characteristics of useful minerals.

residual zones and overburdens: trenches across host rocks of mineralisation; (ii)Drilling-testing at two levels: Strike spacing of boreholes to be 50-100m up to depth of 100-150m; (iii)Samplingpits systematic sampling (over burden horizon wise) and trench sampling (lithological domain wise), core sampling. Petrographic: (i)Refining of data on petrographic characters of rocks, including study of grain size, texture, gangues (ii)Further refining of data.

4.Technological: Drilling-(i) surface drilling at 50-10m section intervals in 34 levels, 30-60m x 90m vertically apart to trace and intersect mineralised zones; under ground drilling as and when necessary; (ii)Sampling core and sludge ,bulk and channel samples processing technology bulk samples for pilot plant/bench scale investigation; (iii)Exploratory mining - 3 or more levels over the entire or part strike length of ore body at 30m level interval and along dip suitable at intervals. 5.Petrographic: (i)Refining of data the on petrographic of characters rocks. including study of grain texture, size, gangues and its liberation etc; (ii)Further refining of data.

FEASIBILITY AXIS

F 3(Geological Study)	F 2(Prefeasibility Study)	F1(Feasibility Study)
1.Geological and related study:	1.Geology:	1.Geology:
(i)Geology of area, reconnaissance phase to detailed phase exploration guided by geochemical, geophysical survey; geological maps dealineating mineralised zones and its extent, lithology, controls, guides, mineralogical, chemical analytical data; (ii)Studies on amenability to beneficiation; (iii)Infrastructure; (iv)Environmental-meteorological and preliminary ecological data, if possible. 2. The activities as above or less than that required for F2.	7.Marketing- An overview, demand supply relations,	Geology of area, detailed exploration, closed space drilling in prospect in 2-3 levels for delineation of host rock body, ore body modelling; boreholes channel bulk samples for beneficiation, geotechnical and ground water &surface water studies. 2.Mining- methods of mining, mine plan, mine recoveries and its milling characteristics; exploitation plan preferably with exploratory mining scheme, manpower details. 3.Environmental- EIA/EMP, including socio-economic impact, rehabilitation of project affected persons ,waste disposal/reclamation. 4.Processing- For tin- tungsten, molybdenum -details of proven pilot plant scale investigations on bulk samples, choosing of suitable processing treatment by industrial scale testing, tailings and effluent disposal plans, plant layout, equipment list; b)For gemstones- studies on amenability to cutting, polishing etc 5.Infrastructure, utilities and construction activities: Full details 6CostingDetailed capital and operating cost, along with break up. 7.Marketing- An overview, specific market aspects. 8.Economic viability- Cash flow forecast, inflation effects, sensitivity studies. 9.Other factors: : Statutory provisions relating to labour, land, mining, taxation, etc.

ECONOMIC AXIS

E3(Intrinsically Economic)	E2 (Potentially Economic)	E1(Economic)
1.Reconnaissance to detailed geological study, rough estimates of grades (may be below economic cut-off), general idea about forest /non - forest and land use status. 2.The activities as above or less than that required for E2.	1.General and detailed exploration. 2. Specific end-use grades of reserves (above/marginally below economic cut-off grade). 3. General knowledge of forest/non-forest and other land use data.	1.Detailed exploration. 2.Mining report/mining plan/working mines. 3.Specific end-use grades of reserves (above economic cut-off grade). 4. Specific knowledge of forest/non-forest and other land use data.

VI. Placer and Residual Mineral Deposits of Hill and Valley Wash

Characteristics of Deposit

Eluvial, colluvial and alluvial placer concentration of heavy metals and minerals, pebble and cobble, boulder beds, gravel beds in alluvium and colluvium, conglomerates, foothills fan deposits, grain size from extremely fine striated material to rough to polished boulders.

Principal kinds of Minerals

Placer tin and gold deposits, monazite, garnet, ilmenite, rutile, diamonds in conglomerate, floats and gravel beds of corundum, kyanite, sillimanite, floats and talus deposits of magnetite.

GEOLOGICAL AXIS

G4	G3 (Prospecting)	G2(General Exploration)	G1(Detailed
(Reconnaissance)			Exploration)
1.Aerial	1.Geological	Geological survey:	1.Geological
reconnaissance:	survey:	(i)Mapping on 1:5,000 to	survey:
Remote sensing,		1: 1,000 or larger scales	(i)Mapping on
airborne	(i)Mapping on	with triangulation	1:1000 scale;
geophysical	1:25,000 to 1:5,000	stations, bench marks, if	
survey, etc.	scale depending on	any, and fiducials shown;	(ii)Preparation of
	the extent of		geological base
2.Geological	potential zone;	(ii)Tracing of favourable	map including all
survey: Mapping	(ii)Tracing of	sediment horizons in	geological
on 1: 25,000 or	coarse sediments	detail;	features, extent of
smaller scales.	(e.g.boulders		deposit, structure
	etc.) exposures in	(iii)Detailed analysis of	and location of pits
3.Geo-chemical	eluvial and colluvial	geo-morphology and	and trenches and
survey:	terrains;	land use;	of auger-drill-
-	(iii)Geomorphic	(iv)Linking of map so	holes, assay plan.
(i)Stream sediment	analysis of terrain;	prepared with topo grids;	
or over burden	-		2.Geo-chemical:
sampling after	(iv)Analysis of	(v)Synthesis and regional	Systematic grid
selection of sites	history of mining,	correlation and analogy.	pattern sampling
and media of	etc.		and analysis.
sampling;		2.Geo-chemical:	•
	2.Geo-chemical	Representative layer	3.Geo-physical
(ii)Recording of	survey:	wise sampling from pits,	survey: if
geomorphology,	-	bore holes and auger	necessary.
land form etc. in a	Representative pit	drills.	•
broad way.	sampling, horizon		4.Technological:
	or layer wise, large	3.Geo-physical: Geo-	
4.Geophysical	diameter bore	physical survey for	(i)Pitting at smaller
survey: Ground	holes (or auger	bringing out the depth of	than 50 m grid;

- geophysical survey
- 5.Technological-(i)Trenching - not essential;
- (ii)Pitting/drillingupto 5 test pits /boreholes per 100 sq. km area; (iii)Sampling – stream sediment or placer sediment sampling and analysis; panning at random /heavy mineral studies.
- 6.Petrographic and mineragraphic studies:
 Preliminary identification of economic minerals
 7. Synthesis of all available data/concepts.
- 8. The activities as above or less than that required for G3.

- sampling) one or two sets of samples for each demarcated potential zone.
- 3.Geo-physical survey: Geophysical survey in identified mineralised areas.
- 4.Technological:
- (i)Pitting/trenching one or two per prospect;
- (ii)Drilling large diameter or auger drilling one or two per prospect if necessary;
- (iii)Sampling and analysis-systematic stream sediments/placer sampling (two to three samples per sq.km) and analysis.
- 5) Petrographic and minerographic studies: Mineral phases and deleterious constituents identification, grain size analysis.

- weathering or thickness of over burden if required.
- 4.Technological: (i)Pitting: On grid pattern of 400 m. x 400 m. to 50 m. x 50 m.; occasional deep pits (upto 6 m.); (ii)Trenchingrequirement; (iii)Drilling: systematic large diameter drilling at 400 m. x 400 m. grid or augering at 200 m. x 200 m. to 50 m. x 50 m. grid. However for beach sand minerals, augering 400mx100m grid and along sampling grid profile over total width . Depthwise sampling of boreholes at 1m interval.
- (iv)Sampling and analysis:
- Placer sampling in identified prospects, hydraulicking, sluicing, panning and follow-up laboratory scale separation and testing and analysis of concentrates from bulk samples.
- 5.Petrographic and mineragraphic studies: Further refinement of petrographic and mineragraphic data, laboratory scale studies on recoverability.

- (ii)Trenching as necessary;
- (iii)Drilling (a) auger drilling at 50 grid,(b) for buried placer deposits deep drilling necessary; (iv)Sampling closed grid pattern placer sampling in identified prospects at 50x50 smaller or grid;However for beach sand minerals, sampling auger or improvised version drilling of equipment at 200m x50m to 100m x25m in grid pattern.
- (v)Collection of abiotic geoenvironmental parameters.
- 5. Petrogrpahic and mineragraphic studies:

Refining of data on petrographic character of rocks including study of grain size textures, associated gangues and concentrate recoveries.

FEASIBILITY AXIS

F3 (Geological Study)	F2 (Pre-feasiblity Study)	F1(Feasiblity Study)
1.Geological and	1.Geology:	1.Geology: Geology of area;
related study:	Geology of area, general to	detailed/general exploration by pitting
(i)Geological map	detailed exploration by	and auger drilling in grid pattern at
delineating	pitting in grids in moderate	closed intervals;
boulder	to close spaced intervals;	panning ,concentrate recoveries from
zones,eluvial/	recoveries through physical	the beneficiation test on pilot plant
colluvial terrain	separation e.g. panning and	scale/laboratory scale of bulk
placers and	its analytical data on	samples, geotechnical and ground
recognition of	concentrate recoveries.	&surface waters studies.
geo-	concentrate recoveries.	additable waters stadies.
morphological	2.Mining : Methods of	2.Mining - Methods of mining, mining
structure and its	mining, pre-production plan,	plan,detail of manpower,equipment
analysis;	manpower requirements	list.
anianjere,	through rough estimates.	
(ii)Surface soil		3.Environmental:
testing;	3.Environmental : EMP with	<u> </u>
J. 11 3,	special emphasis on geo-	EIA/EMP including socio- econmic
(iii)Pit and trench	hydrology and hydrology.	impact,rehabilitation of project
sampling at		affected persons with details of waste
various grid	4.Processing - Pilot	disposal/reclamation, detailed land
intervals;	plant/laboratory scale	use data.
	investigations, possibilities	
(iv)Delineation of	of setting up of plant.	4.Processing - Proven, pilot
pay zones		plant/industrial scale level
through pit/auger	5.Infrastructure,	investigations, plant layout,
sampling and its	construction etc - Brief	enviromental considerations -disposal
analytical data;	details.	of placer material/handling plan,
concentrate		effluent treatment etc; details of
recoveries	6.Costing – Capital and	equipment required.
through panning,	operating costs-rough	F. lafacetonations assetmentian etc. Full
other physical	estimates based on	5.Infrastructure, construction, etc: Full
separation	comparable mining	details
methods;	operations.	6 Coating Capital agets with break
(v)Infrastructure;	7 Marketing An aversion	6.Costing - Capital costs with break up details of capital and operating
(v)iiiiiasiiuciuie,	7.Marketing - An overview on marketing aspects,	costs, working capital.
(vi)Environmental	demand supply relations,	costs, working capital.
:Meteorological	and industry structure.	7.Marketing - An overview, industry
and preliminary	and modelly structure.	structure and specific market studies.
ecological data of	8.Economic viability -	orradiare and opeomo marker studies.
the area, if	Preliminary study of cash	8.Economic viability - Cash flow
possible.	flow forecast.	forecasts, inflation effects and
poolisio.	non rereadu.	sensitivity studies.
2.The activities as	9. Other factors: Statutory	
above or less	provisions relating to	9.Other factors- Statutory provisions
than that required	labour, land , mining,	relating to labour, land , mining,
for F-2.	taxation, etc.	taxation etc.

ECONOMIC AXIS

E3(Intrinsically Economic)	E2 (Potentially Economic)	E1(Economic)
1.Reconnaissance to detailed geological study, rough estimates of grades (may be below economic cut -off), general idea about forest /non - forest and land use status. 2. The activities as above or less than that required for E2.	1.General and detailed exploration. 2.Specific end-use grades of reserves (above marginally below economic cut-off grade). 3. General knowledge of forest/non-forest and other land use data.	1.Detailed exploration. 2.Mining report/ mining plan/working mines. 3.Specific end-use grades of reserves (above economic cut-off grade). 4. Specific knowledge of forest/non-forest and other land use data.

VII. Dimension Stones

Characteristics of Deposit

Surficial, occasionally bouldery or tabular, partly weathered, jointed/fractured, recoverability dependant on block size chosen vis-à-vis joint spacing etc, marketable at buyer's choice, amenable to good polish with aesthetic colour or colour combination.

Principal kinds of minerals

Coloured varieties, including granites, syenites, schists, marbles, slates and sandstone, migmatities, etc; black varieties including dyke rocks, e.g; diorite, dolerite, gabbro, etc.; sills, plugs, batholiths etc. e.g., anorthosites, gabbro, etc.

GEOLOGICAL AXIS

G4 (Reconnaissance)	G3 (Prospecting)	G2 (General	G1(Detailed
	ν, , , , , , , , , , , , , , , , , , ,	Exploration)	Exploration)
		_	_
1.Aerial	1.Geological survey:	1.Geological survey:	1.Geological
reconnaissance:		Mapping on 1:25,000	Survey:
Remote sensing,	Mapping on 1:50,000	to 1:10,000 scale.	(i)Mapping on
airborne geophysical	to 1:25,000 scale;	2 Coo shamiaal	1:10000 or larger
survey etc.	(ii)Photogoology on	2.Geo-chemical :	scale;
2.Geological survey:	(ii)Photogeology on 1:25,000 or equivalent	Identification of deleterious	(ii)Preperation of detailed
Mapping on 1:50,000	scale.	constituents of one	topographical-
or smaller scales.	scale.	or two samples	cum-geological
or smaller seales.	2.Geo-chemical	drawn from each	map, including all
3.Geo-chemical	survey: Identification of	prospect;	surface geolocial
survey: Not required.	deleterious	measurement of	features, joint
	constituents of one or	abiotic	patterns, fracture
4.Geophysical	two samples drawn	geoenvironmental	density etc.
survey:Ground	from each prospect.	parameters.	(iii)Delineation of
geophysical survey.			blockable
	3.Geophysical survey:	3.Geophysical	dimension stone
5.Technological :	Not required.	survey : not required.	zones/areas.
(i)Pitting and			2.Geochemical:
trenching: not	4.Technological:-	4.Technological:	Indentification of
required;	(i)Pitting	(i)Pitting/trenching	deleterious
(ii)Compling Dondom	/trenching/drilling -not	one or two per	constituents;
(ii)Sampling -Random grabs of fresh rock,	required.	prospect;	measurement of abiotic
one or two samples	(ii)Sampling - One grab	(ii)Drilling - One or	geoenviornmentl
per 5 sq. km;	of fresh rock per	two per prospect	parameters.
, , , , , , , , , , , , , , , , , , ,	prospect of premium	(scout drilling);	3.Geophysical:
(iii)Geo-technical work	variety;	(· · · · · · · · · · · · · · · ·	Not required.
- joints/fractures	,	(iii)Sampling -	4.Technological:
density and	(iii)Geo-technical -	Sample density two	(i)Pitting/trenchig-

- preliminary assessment of blockability.
- 6.Petrographic and other studies : (i)Petrographic studies not required;
- (ii)Meausrement of ground water table not required;
- (iii)Measurement of geo-environmental parameters – not required.
- 7.Synthesis of all available data/concepts.
- 8. The activities as above or less than that required for G 3.

- measurement of at least one sample per prospect for determination of specific gravity, porosity, water absorption, compressive strength and tensile strength.
- 5.Petrographic and other studies: (i)Petrographic studies-mineralogical composition, texture and micro -texture study of each variety;
- (ii)Measurement of ground water table: not required.

- to three grabs per prospect;
- (iv)Geo-technical further refinement of blockability data and polishing index measurement.
- 5.Petrographic and other studies: (i)Petrographic studies-mineralogical composition, texture and micro structure study of each variant in a prospect;
- (ii)Ground water table: measurement at each prospect.
- not required; (ii)Drilling-One or two per prospect; (iii)Geo-technicalmeasurement of compressive strength, tensile strength, traverse, strength, abrasion test, specific gravity, density, porosity, absorption, polishing index. 5.Petrographic other studies: (i)Colour, granularity, inclusions, texture and mircrostructure, study. (ii) Ground water table; measurement at each prospect.

FEASIBILITY AXIS

F3 (Geological Study)	F2 (Pre-feasibility Study)	F1 (Feasibility Study)
1.Geological and	1.Geology:	1.Geology:
related study: (i)Geological mapping, delineating weathered and boulder zone, blockable areas and recognition of geomorphologic al structure and its analysis,prospec twise grab sampling at grid intervals;	Geology of area detailed / general exploration; geological map delineating blockable areas and identification of productive zones with recovery factors based on gotechnical studies conducted. 2.Mining: Methods of mining, pre-production plan, manpower requirements through rough estimates. 3.Environmental:	Detailed exploration; geological map delineating blockable areas and identification of productive zones with recovery factors based on gotechnical studies conducted. 2.Mining: Mining plan, block recoveries and efficiencies, heavy machineries, equipment selection, manpower requirement. 3.Environment: EIA studies with particular reference to geo-hydrology and hydrological aspects, bulk material, and EMP including socio-
(ii)Delineation of probable productive	EMP with particular reference to geo-hydrology and hydrological aspects, bulk material handling management plan.	economic impact, rehabilitation of project affected persons, waste disposal, detailed land use data.
zones through grab sampling and its analytical data; (iii)Infrastructure;	4.Processing: Physical characteristics data,details of petro-fabric studies generated through laboratory investigations,	4.Processing: Industrial scale investigation data on physical charecteristics data, details of petrofabric studies, setting up of cutting, polishing plant (optional),
(iv)Environment al:	possibilities of setting up of cutting, polishing plant. 5. Infrastructure, construction etc.: Brief details.	list of equipments, manpower details. 5.Infrastructure and services, construction activities: Full details.
meteorological and preliminary ecological data, if possible. The activities as	6.Costing :Capital and operating costs - rough estimates based on comparable mining operations.	6.Costing:Detailed break-up of capital cost, operating cost, details of working capital.
above or less than that required for F 2.	7.Marketing: An overview on marketing aspects, demand supply relations and industry	7.Marketing: Overview, specific market aspects.
	structure. 8.Economic viability: Preliminary study of cash flow forecast.	8.Economic viability: Cash flow forecast, inflation effects, sensitivity studies.
	9. Other Factors: Statutory provisions relating to labour, land, mining, taxation, etc.	9.Other factors: Statutory provisions relating to labour, land, mining, taxation, etc.

ECONOMIC AXIS

E3(IntrinsicallyEconomic)	E2 (Potentially Economic)	E1(Economic)
1.Reconnaissance to detailed geological study, rough estimates of coloured and non coloured varieties, general idea about forest /non - forest and land use status. 2. The activities as above or less than that required for E2.	1.General and detailed exploration. 2.Rough identification of marketable varieties. 3. General knowledge of forest/non-forest and other land use data.	1.Detailed exploration. 2.Mining report/mining plan/working mines. 3.Specific identification of marketable varieties. 4.Specific knowledge of forest/non-forest and other land use data."

F.No.8/1/2001-M.VI

Joint Secretary to the Govt. of India

Note: The principal rules were published in the Official Gazette, vide GSR No.1023(E) dated 24.10.1988.

- 7. GSR No.227(E) dated 22.4.1991
- 8. GSR No.580(E) dated 4.8.1995
- 9. GSR No.55(E) dated 18.1.2000
- 10. GSR No.744(E) dated 25.9.2000
- 11. GSR No.22(E) dated 11.1.2002 12. GSR No. (E) dated .3.2003.